

# Alston & Bird LLP

Bank of America Plaza  
101 South Tryon Street, Suite 4000  
Charlotte, NC 28280-4000  
(704) 444-1000  
Fax (704) 444-1111

July 10, 2008

Certificate of Correction Branch  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Re: U.S. Patent for *Paving-Related Measuring Device  
Incorporating a Computer Device and Communication  
Element Therebetween and Associated Method*  
Appl. No. 10/817,169; Filed April 2, 2004  
Patent No. 7,376,530B2; Issued May 20, 2008  
Our File 031850/272210

---

Sir:

It is respectfully requested that a Certificate of Correction be issued for the above-identified patent, in accordance with 37 C.F.R. §1.322. This request is made in order to correct the mistakes incurred through the fault of the United States Patent and Trademark Office ("USPTO").

The mistakes appearing in the patent are set forth on the Certificate of Correction e-filed herewith.

Respectfully submitted,

/scott c. mayhew/

Scott C. Mayhew  
Registration No. 58,339

**UNITED STATES PATENT AND TRADEMARK OFFICE  
CERTIFICATE OF CORRECTION**

PATENT NO. : 7,376,530B2

Page 1 of 1

APPLICATION NO. : 10/817,169

ISSUE DATE : May 20, 2008

INVENTOR(S) : Bienvenu *et. al*

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 11:

Line 64: "hand-portable a measuring" should read --hand-portable measuring--

Column 14:

Line 16: "ortalrin" should read --portable measuring--

MAILING ADDRESS OF SENDER

ALSTON & BIRD LLP  
Bank of America Plaza  
101 South Tryon Street, Suite 4000  
Charlotte, NC 28280-4000  
Tel Charlotte Office (704) 444-1000